

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Quick & Clean S-Wipes

Version number: 1.0

First version: 2023-02-06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier				
	Trade name	Quick & Clean S-Wipes			
	Registration number (REACH)	Not relevant (mixture)			
	CAS number	Not relevant (mixture)			
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Relevant identified uses	Surface disinfectant			
4 7	Details of the supplicy of the sofety data she				

1.3 Details of the supplier of the safety data sheet

PLIWA Hygiene GmbH Pliwa-Straße 2 34323 Malsfeld-Ostheim Germany Telephone: +495661 / 7317 0 Telefax: +495661 / 7317 10 e-mail: info@pliwa.de Website: www.pliwa.de

sdb@csb-compliance.com

e-mail (competent person)

Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact PLIWA Hygiene GmbH.

1.4 Emergency telephone number

Emergency information

PLIWA Hygiene GmbH +49 5661 / 7317 0 This number is only available during the following office hours: Mon - Thu 09:00 - 15:00 Fri 09:00 - 12:00

As above or nearest toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification					
Section	Hazard class	Category	Hazard class and category	Hazard state- ment	
2.6	flammable liquid	2	Flam. Liq. 2	H225	

Classification						
Section	Hazard class	Category	Hazard class and category	Hazard state- ment		
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319		

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

Pictograms

GHS02, GHS07



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

•	
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
P261	Avoid breathing vapours.
P280	Wear protective gloves/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/interna- tional regulations.

Additional labelling requirements

see section 15 of the safety data sheet

2.3 Other hazards

In use, may form flammable/explosive vapour-air mixture.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

None of the ingredients are listed.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Γ

Description of the mixture

Wipes drenched in alcohol.

Hazardous ingredients						
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	
ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 REACH Reg. No 01-2119457610- 43-xxxx	25 - < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		GHS-HC	
propan-2-ol	CAS No 67-63-0 EC No 200-661-7 Index No 603-117-00-0	10 - < 25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		GHS-HC	
Didecyldimethylam- monium chloride	CAS No 7173-51-5 EC No 230-525-2	0.01 - < 0.1	Acute Tox. 3 / H301 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411		GHS-HC	

Notes

GHS- Harmonised classification (the classification of the substance corresponds to the entry in the list according toHC: 1272/2008/EC, Annex VI)

Name of substance	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
ethanol	Eye Irrit. 2; H319: C ≥ 50 %	-	-	-
Didecyldimethylam- monium chloride	-	M-factor (acute) = 10	238 ^{mg} / _{kg}	oral

For full text of H-phrases: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Not relevant.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: narcotic effects, Dizziness. May cause respiratory irritation. Following skin contact: Has degreasing effect on the skin. Repeated exposure may cause skin dryness or cracking.

Following eye contact: Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors.

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

self-contained breathing apparatus (EN 133)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Avoid contact with skin and eyes. Do not breathe vapour/spray. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to clean up a spill

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas. Wash hands after use. Preventive skin protection (barrier creams/ointments) is recommended. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

high temperatures

Consideration of other advice

Keep away from food, drink and animal feeding stuffs.

Keep locked up and out of the reach of children. Keep container tightly closed and in a well-ventilated place. Keep cool. Protect from sunlight.

Ventilation requirements

Provision of sufficient ventilation.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Γ

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
ethanol	64-17-5	DNEL	380 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system- ic effects
propan-2-ol	67-63-0	DNEL	500 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system- ic effects
propan-2-ol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Didecyldimethyl- ammonium chlor- ide	7173-51-5	DNEL	8.6 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Didecyldimethyl- ammonium chlor- ide	7173-51-5	DNEL	18.2 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system- ic effects

Relevant PNECs of components of the mixture					
Name of substance	CAS No	Endpoint	Threshold level	Environmental com- partment	
ethanol	64-17-5	PNEC	0.96 ^{mg} / _l	freshwater	
ethanol	64-17-5	PNEC	0.79 ^{mg} / _l	marine water	
ethanol	64-17-5	PNEC	580 ^{mg} / _l	sewage treatment plant (STP)	
ethanol	64-17-5	PNEC	3.6 ^{mg} / _{kg}	freshwater sediment	
ethanol	64-17-5	PNEC	2.9 ^{mg} / _{kg}	marine sediment	
ethanol	64-17-5	PNEC	0.63 ^{mg} / _{kg}	soil	

EU member state: en

Relevant PNECs of components of the mixture					
Name of substance	CAS No	Endpoint	Threshold level	Environmental com- partment	
Didecyldimethylammonium chloride	7173-51-5	PNEC	1.1 ^{µg} / _l	freshwater	
Didecyldimethylammonium chloride	7173-51-5	PNEC	0.11 ^{µg} / _l	marine water	
Didecyldimethylammonium chloride	7173-51-5	PNEC	0.14 ^{mg} / _l	sewage treatment plan (STP)	
Didecyldimethylammonium chloride	7173-51-5	PNEC	61.86 ^{mg} / _{kg}	freshwater sediment	
Didecyldimethylammonium chloride	7173-51-5	PNEC	6.186 ^{mg} / _{kg}	marine sediment	
Didecyldimethylammonium chloride	7173-51-5	PNEC	1.4 ^{mg} / _{kg}	soil	

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. (EN 166).

Hand protection

Protective gloves					
Material	Material thickness	Breakthrough times of the glove material			
NBR: acrylonitrile-butadiene rubber	≥ 0,11 mm	>10 minutes (permeation: level 1)			

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTI	ECTION 9: Physical and chemical properties				
9.1	Information on basic physical and chemical properties				
	Physical state	liquid			
	Colour	different			
	Odour	like alcohol odorized			
	Melting point/freezing point	not determined			
	Boiling point or initial boiling point and boiling range	>78 °C			
	Flammability	flammable liquid in accordance with GHS criteria			
	Lower and upper explosion limit	2 vol% - 15 vol%			
	Flash point	not determined			
	Auto-ignition temperature	not determined			
	Decomposition temperature	not relevant			
	pH (value)	5 - 6			
	Kinematic viscosity	not determined			
	Dynamic viscosity	not determined			
	Solubility(ies)				
	Water solubility	not miscible in any proportion			
	Partition coefficient n-octanol/water (log value)	not determined			
	Vapour pressure	~60 hPa at 20 °C			
	Density and/or relative density				
	Density	not determined			
	Relative vapour density	this information is not available			
	Particle characteristics	not relevant (liquid)			
9.2	Other information				
	Information with regard to physical hazard classes	there is no additional information			
	Other safety characteristics	there is no additional information			

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification procedure

If not otherwise specified the classification is based on: Ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Didecyldimethylammonium chloride	7173-51-5	oral	238 ^{mg} / _{kg}

Name of substance	CAS No	Expos- ure route	End- point	Value	Species	Method	Source
ethanol	64-17-5	inhala- tion: va- pour	LC50	124.7 ^{mg} / _l /4h	rat	OECD Guideline 403	ECHA
ethanol	64-17-5	oral	LD50	10,470 ^{mg} / _{kg}	rat	OECD Guideline 401	ECHA
propan-2-ol	67-63-0	oral	LD50	5,840 ^{mg} / _{kg}	rat	OECD Guideline 401	ECHA
propan-2-ol	67-63-0	dermal	LD50	13,100 ^{mg} / _{kg}	rabbit	OECD Guideline 402	ECHA
Didecyldimethylammoni- um chloride	7173-51-5	oral	LD50	238 ^{mg} / kg	rat	OECD Guideline 401	manufac- turer
Didecyldimethylammoni- um chloride	7173-51-5	dermal	LD50	3,342 ^{mg} / _{kg}	rabbit	-	manufac- turer

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Expos- ure time	Value	Species	Method	Source
ethanol	64-17-5	LC50	48 h	5,012 ^{mg} / _l	Ceriodaphnia dubia (water flea)	ASTM E729- 80	ECHA
ethanol	64-17-5	LC50	96 h	14.2 ^g / _l	fathead min- now (Pimephales promelas)	US EPA method E03-05	ECHA
ethanol	64-17-5	EC50	48 h	>10,000 ^{mg} / I	Ceriodaphnia dubia (water flea)	DIN 38412 Teil 11	ECHA
ethanol	64-17-5	EC50	96 h	12.9 ^g / _l	fathead min- now (Pimephales promelas)	US EPA method E03-05	ECHA
ethanol	64-17-5	ErC50	72 h	275 ^{mg} / _l	algae (Chlorella vulgaris)	OECD Guideline 201	ECHA
propan-2-ol	67-63-0	LC50	96 h	9,640 ^{mg} / _l	fathead min- now (Pimephales promelas)	OECD Guideline 203	ECHA
propan-2-ol	67-63-0	LC50	24 h	>10,000 ^{mg} / I	daphnia magna	OECD Guideline 202	ECHA
Didecyl- dimethylam- monium chlor- ide	7173-51-5	EC50	48 h	0.029 ^{mg} / _l	daphnia magna	OECD Guideline 202	ECHA

Name of sub- stance	CAS No	Endpoint	Expos- ure time	Value	Species	Method	Source
Didecyl- dimethylam- monium chlor- ide	7173-51-5	LC50	96 h	0.49 ^{mg} / _l	zebra fish (Danio rerio)	OECD Guideline 203	ECHA
Didecyl- dimethylam- monium chlor- ide	7173-51-5	ErC50	72 h	0.062 ^{mg} / _l	algae (pseudokirch- neriella subcap- itata)	OECD Guideline 201	ECHA

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Expos- ure time	Value	Species	Method	Source
ethanol	64-17-5	LC50	9 d	454 ^{mg} / _l	daphnia magna	-	ECHA
ethanol	64-17-5	LC50	10 d	1,806 ^{mg} / _l	Ceriodaphnia dubia (water flea)	-	ECHA
ethanol	64-17-5	NOEC	10 d	2 ^{mg} / _l	Ceriodaphnia dubia (water flea)	-	ECHA
ethanol	64-17-5	NOEC	120 h	250 ^{mg} / _l	zebra fish (Danio rerio)	OECD Guideline 212	ECHA
ethanol	64-17-5	growth rate (ErCx) 10%	3 d	11.5 ^{mg} / _l	algae (Chlorella vulgaris)	OECD Guideline 201	ECHA
ethanol	64-17-5	growth rate (ErCx) 10%	4 d	86 ^{mg} /l	algae (Chlorella vulgaris)	OECD Guideline 201	ECHA
propan-2-ol	67-63-0	NOELR	28 d	>1,000 ^{mg} / _l	fish	Qsar	ECHA
propan-2-ol	67-63-0	NOELR	21 d	>1,000 ^{mg} / _l	daphnia magna	Qsar	ECHA
Didecyl- dimethylam- monium chlor- ide	7173-51-5	EC50	21 d	0.031 ^{mg} / _l	daphnia magna	OECD Guideline 211	ECHA
Didecyl- dimethylam- monium chlor- ide	7173-51-5	NOEC	72 h	0.013 ^{mg} / _l	algae (pseudokirch- neriella subcap- itata)	OECD Guideline 201	ECHA

Name of sub- stance	CAS No	Endpoint	Expos- ure time	Value	Species	Method	Source
Didecyl- dimethylam- monium chlor- ide	7173-51-5	NOEC	21 d	0.021 ^{mg} / _l	daphnia magna	OECD Guideline 211	ECHA
Didecyl- dimethylam- monium chlor- ide	7173-51-5	LOEC	21 d	0.047 ^{mg} / _l	daphnia magna	OECD Guideline 211	ECHA

12.2 Persistence and degradability

Biodegradation

The relevant substances of the mixture are readily biodegradable.

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
ethanol	64-17-5	oxygen deple- tion	~84 %	20 d	-	ECHA
propan-2-ol	67-63-0	oxygen deple- tion	53 %	5 d	EU method C.5	ECHA
Didecyl- dimethylam- monium chlor- ide	7173-51-5	oxygen deple- tion	69 %	28 d	OECD 301D	ECHA
Didecyl- dimethylam- monium chlor- ide	7173-51-5	carbon diox- ide generation	71 %	28 d	-	ECHA

Persistence

No data available.

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW
ethanol	64-17-5	-	-0.35 (pH value: 7.4, 24 °C)
propan-2-ol	67-63-0	-	0.05 (20 °C)
Didecyldimethylammoni- um chloride	7173-51-5	-	2.59 (pH value: 7, 20 °C)

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 2

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR/RID/ADN	UN3175
	IMDG-Code	UN3175
	ICAO-TI	UN3175
14.2	UN proper shipping name	
	ADR/RID/ADN	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
	IMDG-Code	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
	ICAO-TI	Solids containing flammable liquid, n.o.s.
	Technical name (hazardous ingredients)	ethanol, isopropanol
14.3	Transport hazard class(es)	
	ADR/RID/ADN	4.1

	IMDG-Code	4.1
	ΙCAO-ΤΙ	4.1
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Additional information

Particulars in the transport document	UN3175, SOLIDS CONTAINING FLAMMABLE LI- QUID, N.O.S., (ethanol, isopropanol), 4.1, II, (E)			
Classification code	F1			
Danger label(s)	4.1			
$\mathbf{\Phi}$				
Special provisions (SP)	216, 274, 601, 800(ADN)			
Excepted quantities (EQ)	E2			
Limited quantities (LQ)	1 kg			
Transport category (TC)	2			
Tunnel restriction code (TRC)	E			
Hazard identification No	40			
European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN) Additional information				
Number of cones/blue lights	1			

International Maritime Dangerous Goods Code (IMDG) Additional information

Marine pollutant	-
Danger label(s)	4.1
A	

Special provisions (SP)	216, 274	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	1 kg	
EmS	F-A, S-I	
Stowage category	В	
International Civil Aviation Organization (ICAO-IATA/DGR) Additional information		
Danger label(s)	4.1	
Danger label(s)	4.1	
Danger label(s) Special provisions (SP)	4.1 A46	
Special provisions (SP)	A46	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	CAS No	Restriction
Quick & Clean S-Wipes	this product meets the criteria for clas- sification in accordance with Regulation No 1272/2008/EC	-	R3
ethanol	flammable / pyrophoric	-	R40
ethanol	substances in tattoo inks and perman- ent make-up	-	R75
propan-2-ol	flammable / pyrophoric	-	R40
propan-2-ol	substances in tattoo inks and perman- ent make-up	-	R75

Legend

R3 1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

— can be used as fuel in decorative oil lamps for supply to the general public, and

- present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to

Legend

the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly

marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,

- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Legend

R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made. 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

Legend

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation; (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device or an accessory to a medical device. (EU) 2017/745, and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
P5c	flammable liquids (cat. 2, 3)	5,000 50,000	51)

Notation

51) flammable liquids, categories 2 or 3 not covered by P5a and P5b

Regulation 648/2004/EC on detergents

Labelling of contents (Regulation on detergents): No labelling required.

Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

Regulation on drug precursors

None of the ingredients are listed.

Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

Regulation concerning the export and import of hazardous chemicals (PIC)

Not all ingredients are listed.

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de nav- igation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement con- cerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Water- ways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chron- ic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical sub- stances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance caus- ing 50 % changes in response (e.g. on growth) during a specified time interval

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regula- tion (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality dur- ing a specified time interval
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the sum- mation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NOELR	No Observed Effect Loading Rate
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH).

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Responsible for the safety data sheet

C.S.B. GmbH	Telephone: +49 (0) 2151 - 652086 - 0
Dujardinstr. 5	Telefax: +49 (0) 2151 - 652086 - 9
47829 Krefeld, Germany	e-Mail: info@csb-compliance.com
-	Website: www.csb-compliance.com

Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.

This safety data sheet is for information only and does not comply with the official language requirements of article 31 (5) of REACH.